

CLINICAL GUIDELINES

Topic	Low Back Pain
Guideline Title/Source <i>(Examples: ADA, USPSTF, HTW, NHLBI, etc)</i>	Title: Diagnosis and Treatment of Low Back Pain: A Joint Clinical Practice Guideline from the American College of Physicians and the American Pain Society Source: Annals of Internal Medicine
Guideline Link	http://annals.org/article.aspx?articleid=736814
Guideline Original Date	2007
Guideline Most Recent Revision Date	2007
Quality Measures <i>(for the year of QCEC review)</i>	N/A
HCC Documenting and Coding Tips <i>(for the year of QCEC review)</i>	N/A
Guideline Summary <i>(Summarize guideline and updated information)</i>	<p>Recommendation 1: Clinicians should conduct a focused history and physical examination to help place patients with low back pain into 1 of 3 broad categories: nonspecific low back pain, back pain potentially associated with radiculopathy or spinal stenosis, or back pain potentially associated with another specific spinal cause. The history should include assessment of psychosocial risk factors, which predict risk for chronic disabling back pain (strong recommendation, moderate-quality evidence).</p> <p>Recommendation 2: Clinicians should not routinely obtain imaging or other diagnostic tests in patients with nonspecific low back pain (strong recommendation, moderate-quality evidence).</p> <p>Recommendation 3: Clinicians should perform diagnostic imaging and testing for patients with low back pain when severe or progressive neurologic deficits are present or when serious underlying conditions are suspected on the basis of history and physical examination (strong recommendation, moderate-quality evidence).</p> <p>Recommendation 4: Clinicians should evaluate patients with persistent low back pain and signs or symptoms of radiculopathy or spinal stenosis with magnetic resonance imaging (preferred) or computed tomography only if they are potential candidates for surgery or epidural steroid injection (for suspected radiculopathy) (strong recommendation, moderate-quality evidence).</p> <p>Recommendation 5: Clinicians should provide patients with evidence-based information on low back pain with regard to their expected course, advise patients to remain active, and provide information about effective self-care options (strong recommendation, moderate-quality evidence).</p> <p>Recommendation 6: For patients with low back pain, clinicians should consider the use of medications with proven benefits in conjunction with back care information and self-care. Clinicians should assess severity of baseline pain and functional deficits, potential benefits, risks, and relative lack of long-term efficacy and safety data before initiating therapy (strong recommendation, moderate-quality evidence). For most patients, first-line medication options are acetaminophen or nonsteroidal anti-inflammatory drugs.</p> <p>Recommendation 7: For patients who do not improve with self-care options, clinicians should consider the addition of nonpharmacologic therapy with proven benefits – for acute low back pain, spinal manipulation; for chronic or subacute low back pain, intensive interdisciplinary rehabilitation, exercise therapy, acupuncture, massage therapy, spinal manipulation, yoga, cognitive-behavioral therapy, or progressive relaxation (weak recommendation, moderate-quality evidence).</p>

QCEC REVIEW: Physician Champion and approval dates

Physician Champion	Dr. Erika Altneu	Date of QCEC Re-Approval:	11/2015
Physician Champion	Dr. Erika Altneu	Date of original QCEC Approval:	11/2013